

**CMPS 12L**  
**Introduction to Programming Lab**  
**Spring 2010**

**Lab Assignment 1**  
Due Thursday April 8, 10:00 pm

The purpose of this assignment is threefold: get a basic introduction to the Unix operating system, to learn how to create and edit text files using either the Vi or Emacs text editors, and to learn to compile and run a java program.

**Preparation**

Before attempting this assignment, begin reading one of the Unix tutorials linked on the course website. You need not complete the tutorial, but find one that you like, and bookmark it for future reference. Vi and Emacs are two very popular text editors available on all Unix systems. Start reading either one of the Vi tutorials, or an Emacs tutorial, which are also linked on the course website.

**Unix**

Logon to your UCSC IC Unix account. The Unix command line prompt will be represented here as %, although it may look different in your session. From within your home directory, use the `mkdir` command to create a directory called `cs12a`, in which you will place all your work for this class. Type `ls` to list the contents of your home directory. You will see the new `cs12a` directory. Make `cs12a` your current working directory by typing `cd cs12a` at the command prompt.

```
% mkdir cs12a
% ls
% cd cs12a
```

Remember that you can learn about any Unix command by typing `man` at the command prompt. Try:

```
% man mkdir
% man ls
% man cd
% man man
```

Man pages are notorious for being impenetrable and cryptic, especially for beginners. Typically they assume a great deal of background knowledge. Nevertheless, you must get used to reading them since they are an invaluable resource. Use the man pages in conjunction with the tutorial to build up your vocabulary of Unix commands. Also try using Google to find Unix commands. For instance a Google search on the phrase “Unix copy” brings up a reference to the `cp` command. Research the following Unix commands, either through the tutorial, or man pages, or Google: `man`, `ls`, `pwd`, `cd`, `mkdir`, `more`, `less`, `cp`, `cat`, `rm`, `rmdir`, `mv`, `echo`, `date`, `time`, `alias`, `history`. You can also try just typing the command and see what happens.

**Editors**

Using either Vi or Emacs, create a text file in your `cs12a` directory called `HelloWorld.java` containing the following lines. (Note this file can be found on the course website under the Examples link.)

```

/*
 * HelloWorld.java
 */
class HelloWorld{
    public static void main(String[] args){
        System.out.println("Hello, world!");
    }
}

```

This is a java *source file*. Type `more HelloWorld.java` at the command prompt to view the contents of the file.

## Java

In order to run the program we must first compile it. A *compiler* is a program which translates *source* code into *executable code*, which is what the computer understands. To compile the above program type

```
% javac HelloWorld.java
```

You should see the unix prompt (%) disappear for a few seconds, while it works, then reappear. List the contents of `cs12a` again to see the new file `HelloWorld.class`. This is a java *object file*, also called an *executable file*. You can now run the program by typing

```
% java HelloWorld
```

This command should cause the words

```
Hello, world!
```

to be printed to the screen, followed by a new command prompt on the command line. We will have a lot more to say about the proper use and syntax of the java programming language, but for now just note that what is printed to the screen is exactly what appears between quotes in the line

```
System.out.println("Hello, world!");
```

in the source file `HelloWorld.java`. Also note that everything that appears between `/*` and `*/` constitutes a comment and is ignored by the compiler. Every program you write in this class must begin with a comment block of the following form.

```

/* filename
 * your name
 * your userid
 * the assignment name (like lab1 or pal)
 * a very short description of what the program does
 */

```

Open up your editor and change the comment block in `HelloWorld.java` to conform to the above format. Also change the body of the program so that it prints out

```
Hello, my name is Foo Bar.
```

Where `Foo Bar` is your name. Compile the new program and run it. If it does not compile, i.e. if you get error messages when you run `javac`, look for some stray character that you might have inserted into the file inadvertently.

Now create a new text file called HelloWorld2.java containing the lines

```
/* HelloWorld2.java
 * your name
 * your userid
 * lab1
 * Prints greeting and some system information.
 */

class HelloWorld2{
    public static void main( String[] args ){
        String os = System.getProperty("os.name");
        String osVer = System.getProperty("os.version");
        String jre = System.getProperty("java.runtime.name");
        String jreVer = System.getProperty("java.runtime.version");
        String jvm = System.getProperty("java.vm.name");
        String jvmVer = System.getProperty("java.vm.version");
        String home = System.getProperty("java.home");
        double freemem = Runtime.getRuntime().freeMemory();
        long time = System.currentTimeMillis();

        System.out.println("Hello, World!");
        System.out.println("Operating system: "+os+" "+osVer);
        System.out.println("Runtime environment: "+jre+" "+jreVer);
        System.out.println("Virtual machine: "+jvm+" "+jvmVer);
        System.out.println("Java home directory: "+home);
        System.out.println("Free memory: "+freemem+" bytes");
        System.out.printf("Time: %tc.%n", time);
    }
}
```

Compile this program and run it. Do

```
% javac HelloWorld2.java
```

Then

```
% java HelloWorld2
```

You will see that it prints something like

```
Hello, World!
Operating system: SunOS 5.8
Runtime environment: Java(TM) 2 Runtime Environment, Standard Edition 1.5.0-b64
Virtual machine: Java HotSpot(TM) Client VM 1.5.0-b64
Java home directory: /opt/local/java/jdk1.5.0/jre
Free memory: 3429024.0 bytes
Time: Fri Apr 06 08:46:19 PDT 2007.
```

The exact output you get will depend on the date and time you run it, as well as the platform you are working on. You can see that the extra lines in this version of the program have the effect of collecting and printing certain platform specific information. The meaning of these lines may be discussed in class at some point.

Now edit this file once more so that the comment block contains your name and userid, and alter the greeting so that it prints

```
Hello, my name is Foo Bar
```

as before. Recompile your program, wring out any typographical errors you might find, then test it.

### **What to turn in**

Read the instructions on the website concerning the use of the submit command. Briefly, the syntax of the submit command is

```
% submit class_name assignment_name file1 file2 file3 ...
```

Here `class_name` will be `cmps012a-pt.s10` for all Lab (12L) and Programming (12A) assignment you turn in. The `assignment_name` in this case is `lab1`. Submit the two souce files `HelloWorld.java` and `HelloWorld2.java`. Thus your submit command will be

```
% submit cmps012a-pt.s10 lab1 HelloWorld.java HelloWorld2.java
```

Start early and ask plenty of questions in the lab sessions if anything is unclear.