

CMPS 101
Spring 2008
Homework Assignment 2

1. (1 Point) p.50: 3.1-1
 Let $f(n)$ and $g(n)$ be asymptotically non-negative functions. Using the basic definition of Θ -notation, prove that $f(n) + g(n) = \Theta(\max(f(n), g(n)))$.
2. (1 Point) p.50: 3.1-3
 Explain why the statement “The running time of algorithm A is at least $O(n^2)$ ” is meaningless.
3. (2 Points) p. 50: 3.1-4
 Determine whether the following statements are true or false.
 - a. (1 Point) $2^{n+1} = O(2^n)$
 - b. (1 Point) $2^{2^n} = O(2^n)$
4. (6 Points) p.58: 3-2abcdef
 Indicate, for each pair of expressions (A, B) in the table below, whether A is $O, o, \Omega, \omega,$ or Θ of B . Assume that $k \geq 1, \varepsilon > 0,$ and $c > 1$ are constants. Place 'yes' or 'no' in each of the empty cells below, and justify your answers.

| | A | B | O | o | Ω | ω | Θ |
|--------------|-------------|-----------------|-----|-----|----------|----------|----------|
| a. (1 Point) | $\lg^k n$ | n^ε | | | | | |
| b. (1 Point) | n^k | c^n | | | | | |
| c. (1 Point) | \sqrt{n} | $n^{\sin n}$ | | | | | |
| d. (1 Point) | 2^n | $2^{n/2}$ | | | | | |
| e. (1 Point) | $n^{\lg c}$ | $c^{\lg n}$ | | | | | |
| f. (1 Point) | $\lg(n!)$ | $\lg(n^n)$ | | | | | |

5. (4 Points) p.58: 3-4cdeh
 Let $f(n)$ and $g(n)$ be asymptotically positive functions (i.e. $f(n) > 0$ and $g(n) > 0$ for sufficiently large n .) Prove or disprove the following statements.
 - c. (1 Point)
 Assume $\lg(g(n)) \geq 1$ and $f(n) \geq 1$ for all sufficiently large n . Then $f(n) = O(g(n))$ implies $\lg(f(n)) = O(\lg(g(n)))$.
 - d. (1 Point)
 $f(n) = O(g(n))$ implies $2^{f(n)} = O(2^{g(n)})$.
 - e. (1 Point)
 $f(n) = O((f(n))^2)$.
 - h. (1 Point)
 $f(n) + o(f(n)) = \Theta(f(n))$.