

FINAL
CIS 102 - Spring 03
Warmuth

NAME: _____
Student ID: _____

This exam is closed book and closed notes. Show partial solutions
to get partial credit.
If your answers are not written legibly, you won't get full credit.
Clarity and succinctness will be rewarded.

Question 1: _____(out of 15)
Question 2: _____(out of 10)
Question 3: _____(out of 15)
Question 4: _____(out of 15)
Question 5: _____(out of 15)
Question 6: _____(out of 15)
Question 7: _____(out of 15)

Total: _____(out of 100)

1. Run the following three algorithms on the below graph:
Prim's algorithm for finding the minimum spanning tree;
Kruskal's algorithm for finding the minimum spanning tree;
and Dijkstra's algorithm for the single source shortest path problem starting at vertex a).
In each case show in what order the vertices or edges are added and draw the resulting minimum spanning tree or shortest path tree.

2. Given an adjacency matrix A of a graph G . Let B be $A \cdot A$, where \cdot represents Boolean matrix multiplication (which uses \vee instead of addition and \wedge instead of multiplication). Let C be $A * A$, where now $*$ stands for the regular matrix multiplication.

What is the meaning of $B[i, j]$ and $C[i, j]$?

Give reasons for your answers.

3. Short questions:

- (a) What is the running time of the standard matrix multiplication algorithm for multiplying two $n \times n$ matrices?

What is the running time of Strassen's matrix multiplication algorithm? (If you don't know the exact exponent, then give an approximate value of it.)

- (b) Name two sorting algorithms that require $O(n \log n)$ comparisons in the worst case.

- (c) What are the two key ideas of the efficient union-find data structure?

- (d) Give a definition of Binary Search Trees.

- (e) What three operations can be done in $O(\log n)$ time using Red Black Trees?

4. For n distinct elements x_1, x_2, \dots, x_n with positive weights w_1, w_2, \dots, w_n such that $\sum_{i=1}^n w_i = 1$, the *weighted median* is the element x_k satisfying

$$\sum_{x_i < x_k} w_i < \frac{1}{2} \text{ and } \sum_{x_i > x_k} w_i \leq \frac{1}{2}.$$

Example:

i	1	2	3	4	5	6	7
x_i	8	3	6	-7	0	19	-4
w_i	.2	.1	.3	.05	.1	.05	.2
rank	6	4	5	1	3	7	2
median		*					
w. median			*				

- (a) Argue that the median for x_1, x_2, \dots, x_n is the weighted median of the x_i when the weights w_i are all equal $\frac{1}{n}$.
- (b) Show how to compute the weighted median of n elements in $O(n \log n)$ worst-case time using sorting.
Reason your time bound!
- (c) Show how to compute the weighted median in $\Theta(n)$ worst-case time using a linear time median algorithm as a subroutine. Give a recurrence and reason your time bound.

6. Suppose you are given three strings of characters:

$$X = x_1x_2\dots x_m, Y = y_1y_2\dots y_n, \text{ and } Z = z_1z_2\dots z_{n+m}$$

Z is said to be a *shuffle* of X and Y if Z can be formed by interspersing the characters from X and Y in a way that maintains the left-to-right ordering of the characters from each string. For example, *cagotat* is a shuffle of *cat* and *goat*, but *cogatt* is not. Devise a dynamic programming algorithm that takes as input X, Y, Z, m , and n and determines whether Z is a shuffle of X and Y .

Hint: Construct an m by n 2-dimensional table. Let $T(i, j)$ be true iff $z_1\dots z_{i+j}$ is a shuffle of $x_1\dots x_i$ and $y_1\dots y_j$.

Give a recurrence! In what order do you evaluate your table? How do you initialize the table? What is the running time of your algorithm.

			j															
		0	1	2	3	4												
			g	o	a	t												
	0	T	F	F	F	F												
	1 c	T	F	F	F	F												
i	2 a	T	T	T	F	F												
	3 t	F	F	T	T	T												
										1	2	3	4	5	6	7		
										c	a	g	o	t	a	t		

7. Modify the following DFSsweep to detect a cycle in a directed graph G .

```
DFSsweep( $G$ )
  for each vertex  $u \in V(G)$ 
    do color[ $u$ ]:=white
  for each vertex  $u \in V(G)$ 
    do if color[ $u$ ]=white
       then DFS( $u$ )
```

```
DFS( $u$ )
  color[ $u$ ]= gray           • White vertex  $u$  has just been discovered
  for each adjacent  $v$  in the edge list of  $u$            • Explore edge  $(u, v)$ 
    do if color[ $v$ ]=white
       DFS( $v$ )
  color[ $u$ ]=black           • Blacken  $u$  since its finished
```

Simply add some statements to the above algorithm.

What is the running time of your cycle detection algorithm?